



US 20110177151A1

(19) **United States**(12) **Patent Application Publication**
Knight et al.(10) **Pub. No.: US 2011/0177151 A1**(43) **Pub. Date: Jul. 21, 2011**(54) **IMPLANTABLE MATERIAL AND A METHOD
FOR THE PREPARATION THEREOF***C07K 1/00* (2006.01)*A61K 9/00* (2006.01)*C07K 14/435* (2006.01)*A61P 19/04* (2006.01)*A61P 19/00* (2006.01)(76) Inventors: **David Philip Knight**, Hants (GB);
Nicholas James Vavasour Skaer,
Oxford (GB); **Andrew Michael
Collins**, Bristol (GB); **Tom Louis
Dirk Gheysens**, Belgium (BE);
Christopher Holland, Oxford
Oxfordshire (GB)(52) **U.S. Cl. 424/423; 514/17.1; 435/272; 530/353**(21) Appl. No.: **12/990,399**(22) PCT Filed: **Apr. 30, 2009**(86) PCT No.: **PCT/IB2009/051775**

§ 371 (c)(1),

(2), (4) Date: **Mar. 23, 2011**(30) **Foreign Application Priority Data**

Apr. 30, 2008 (GB) 0807868.5

Publication Classification(51) **Int. Cl.***A61K 38/17* (2006.01)*C12S 3/14* (2006.01)(57) **ABSTRACT**

A method for the preparation of a regenerated silk fibroin solution comprises the steps of: treating silk or silk cocoons with an ionic reagent comprising an aqueous solution of monovalent cations and monovalent anions, the cations and anions having ionic radii of at least 1.05 Angstroms and a Jones-Dole B coefficient of between -0.001 and -0.05 at 25° C.; and subsequently degumming the treated silk or silk cocoons; or alternatively, degumming silk or silk cocoons; and subsequently treating the degummed silk or silk cocoons with an ionic reagent comprising an aqueous solution of monovalent cations and monovalent anions, the cations and anions having ionic radii of at least 1.05 Angstroms and a Jones-Dole B coefficient of between -0.001 and -0.05 at 25° C. The invention also extends to fibroin solution, a fibroin material and an implant useful for cartilage repair.

